

# Position paper

June 2021

Technical, regulatory and social challenges for realising CO<sub>2</sub>-neutral drive technology for cars and commercial vehicles during the coming decades



# Introduction

---

The International Scientific Association of Sustainable Drivetrain and Vehicle Technology Research, IASTEC (in the process of founding) is an international association of professors and researchers worldwide working on vehicle and drivetrain research at famous universities. The purpose of IASTEC is to promote science, research and teaching in the field of vehicle and drivetrain technology.

The members of IASTEC develop innovative vehicle concepts and systems as well as various sustainable drivetrain technologies (battery electric vehicles, fuel cell vehicles and engine technology for CO<sub>2</sub>-neutral reFuels, which are synthetic electric power based eFuels as well as biogenic fuels, also known as bioFuels) and promote a CO<sub>2</sub>-neutral mobility system of the future without fossil energy sources or fossil energy supply.

With this position paper, the signees address the urgent need for technological openness for propulsion technology for ground vehicles in order to reduce CO<sub>2</sub> emission from fossil energy sources on a global basis and fast. This position paper is directed at political decision-makers, investors, and also interested citizens.



Due to current discussion on future mobility strategy, the scientific cooperation of vehicle and engine technology professors from Germany, Austria and Switzerland have written this position paper on technical, regulatory and social challenges inherent in the choice of passenger and commercial vehicle propulsion (and related fuel) technology for the coming decades, driven by the target of realising long-term CO<sub>2</sub>-neutral, sustainable mobility.

## CORE MESSAGES AND CONCLUSIONS OF THIS POSITION PAPER ARE:

- 1.) In the near term, automotive propulsion technology must be able to achieve the highest CO<sub>2</sub> reduction potential quickly, so that the requirements of the Paris Climate Agreement [1] can be adhered to. At the same time, energy storage fuels and propulsion system will continue to undergo longer term development, necessitating coordination of near-term propulsion system technology with such future developments. These challenges can only be met optimally with an appropriate technology mix, adapted to each respective application [2].
- 2.) The promotion of battery-based electrical mobility, primarily for urban mobility, is an important component. Further valuable technological potential of this propulsion technology must be developed.
- 3.) Fuel cell technology is being developed further worldwide and especially in Asia. Here, too, further-reaching support of research and development in Europe will be necessary. The global hurdles that must be overcome to successfully mass produce this technology (and to create a viable and effective refueling infrastructure) remain demanding.
- 4.) The internal combustion engine (ICE) is an efficient energy converter at reasonable cost and has still a high potential for further improvements. The ICE is perfectly capable of exhibiting a low CO<sub>2</sub> footprint with the use of CO<sub>2</sub>-neutral liquid hydrocarbon fuels (so called "re-Fuels") in place of petroleum based fuels [3–12].
- 5.) Concerns are increasing that currently elaborated CO<sub>2</sub> regulations of the future do not support the recommendations of the IPCC (Intergovernmental Panel of Climate Change) for fast CO<sub>2</sub> emission reduction in a best possible way. An unnecessary burden for the remaining CO<sub>2</sub> budget is expected for characteristic applications [12–15].
- 6.) There exists the potential for considerable CO<sub>2</sub> emissions reduction in the transport sector without requiring the elimination of the internal combustion engine. The point that is being missed in current regulations is that it is not the ICE that is the root cause of CO<sub>2</sub> emissions, but the fuels that are burnt within it. The replacement of fossil fuel based liquid hydrocarbon fuels with CO<sub>2</sub> neutral reFuels has the potential of significantly reducing CO<sub>2</sub> emissions from road transport in

# Summary



a progressive way (increasing reFuels blending rate over the years), without the need to build a new infrastructure for fuel distribution and delivery. This solution could accompany and support a dedicated electric vehicle strategy and significantly improve the CO<sub>2</sub> reduction of transport sector.

- 7.) The current regulation leads to the inevitable use of PHEV or BEV, also where they neither lead to CO<sub>2</sub> advantages nor customer advantages. Therefore, the central demand of this position paper is to express political framework conditions unprejudiced and open to technology and to support all technology paths which can result in an effectively overall evaluated CO<sub>2</sub> reduction and therefore contribute a minimum CO<sub>2</sub>burden to the remaining budget [2, 16, 17].8.) Mobility, transport and energy supply form the essential cornerstones of a prospering, open and resilient society. Technological competition and a cross-sector, holistic system view are decisive factors for the development of an optimum overall system [18].
- 8.) Mobility, transport and energy supply form the essential cornerstones of a prospering, open and resilient society. Technological competition and a cross-sector, holistic system view are decisive factors for the development of an optimum overall system [18].

# Marginal conditions for sustainable mobility in the coming decades

The energy and mobility transition are inseparably linked and require great efforts.

The energy system of the future will change. With the considerable expansion of wind energy and photovoltaics, the temporally and locally needs-orientated availability of electrical energy will become more challenging. High-performance energy storage technologies must be installed [19]. Today's share of photovoltaics and wind energy in Germany of ca. 5% of primary energy requirement will increase considerably in the long-term. In 2030, approx. 70% of electrical energy will originate from renewable sources [20–22]. Worldwide 63% of power in 2019 was generated by fossil energy, 10% by nuclear energy and 26% by renewable energy like wind and solar [68].

Today, some 70% of primary energy is imported. In the future, Europe and in particular Germany will remain dependent on imported energy, however the imported energy must originate from renewable sources [23]. Therefore, one of the greatest global challenges in the coming 30 years will be the considerable expansion of the provision of regenerative energy (e.g. photovoltaics, wind energy, etc.). This enables the production of and trade with CO<sub>2</sub>-neutral energy carriers<sup>1</sup>. CO<sub>2</sub>-neutral operation by all consumers must therefore be society's objective, whereby economically viable solutions must be striven for. Moreover, the energy system will be supported by the progress in further developing battery technology. These marginal conditions decisively assume physically feasible and also affordable energy transport.

Whilst transfer of electrical energy is possible over short and medium distances, transport from of electricity from wind-rich or sun-rich areas cannot be realised in many cases, e.g. from South America, Australia, Africa or the Arabian Peninsula. Therefore, importing chemical energy carriers instead of electricity makes more sense. These can include hydrogen with volumetric energy density between 1.4 kWh/l and 2.4 kWh/l. Methanol or Fischer-Tropsch products allow a considerably higher energy density of 4 kWh/l to 9 kWh/l. Due to this high energy density, chemical energy carriers are not only preferred for vehicle use, but also for energy transport. Even if the manufacturing with CO<sub>2</sub>-neutral processes demonstrates higher losses than is the case for electricity generation, this decoupling between the manufacturing location and use as well as the excellent storage capability offer decisive advantages. This important aspect is given too little attention both in current public discussion and within the regulatory activities.

---

<sup>1</sup> CO<sub>2</sub>-neutrality refers to the carbon cycle. CO<sub>2</sub> is taken from the air, the carbon C stored in fuel and neutrally emitted during energy implementation again as CO<sub>2</sub> to form a balance.

# Marginal conditions for sustainable mobility in the coming decades

All-in-all within the transport sector, in addition to the focus on drive energy needs, further requirements are decisive, namely payload, vehicle weight, handling the energy carrier, safety aspects, readiness for use, comfort and costs. Dependent on the application case, different energy carriers are needed for different mobility requirements. Electrical energy, hydrogen or CO<sub>2</sub>-neutral synthetic fuels, reFuels, will respectively be able to meet different mobility and transport requirements optimally and CO<sub>2</sub>-neutrally.

All paths to defossilisation will have to be used across all sectors in the future in order to ensure the success of energy transition. Here, the term decarbonisation is confusing because carbon will also have to play an important role, primarily in the energy economy and chemicals industry in the future for chemical-physical reasons. Fossil carbon must be refrained from in the long-term for energy supply!




The important principles which must be observed for the technical, regulatory and social challenges of a sustainable mobility system are expressed below.

# Technical and regulatory challenges for sustainable mobility in the coming decades

THE ANALYSIS OF THE ENERGY SYSTEM AND FURTHER-REACHING MARGINAL CONDITIONS LEAD TO THE FOLLOWING CORE STATEMENTS WHEN EVALUATING THE TECHNICAL AND REGULATORY CHALLENGES:

- 1.) Political efforts to develop a CO<sub>2</sub>-neutral mobility sector and its fast implementation are expressly supported by all signees of this position paper [24]. A significant CO<sub>2</sub> emission reduction of the car fleet must be achieved by 2030 and CO<sub>2</sub>-neutral mobility by 2050 at the latest.
- 2.) Providing CO<sub>2</sub>-neutral electrical energy throughout the year remains a great challenge for several decades.
  - a. Therefore, the shift to vehicles with electrical batteries within the car market will contribute a decisive share of CO<sub>2</sub> emission reduction [13] in 2035 at the earliest.
  - b. The realisation of energy storage options in Germany is also necessary because an excess of electrical power of 60 GW is expected in 2035 [25]. For this, both rechargeable batteries and chemical energy carriers such as H<sub>2</sub>, methanol or Fischer-Tropsch products are possible options.
- 3.) However, the signees criticise that through the current separate observation of the sectors no holistic optimum reduction of CO<sub>2</sub> emission is achieved [26]. On the contrary, the regulation leads to singular optimisation of individual sector emission. This means that large holistic CO<sub>2</sub> potential remains unused, incorrect stop signals are set for technological development and important technologies are not observed. Therefore, based on the planned regulation, only battery-supported (BEV/PHEV) or H<sub>2</sub>-driven vehicles (FCV, ICE) without CO<sub>2</sub> fines can be sold in the future although vehicles operated with reFuels show comparable environmental advantages [27, 69].
- 4.) The battery-supported mobility offers important potential for holistic CO<sub>2</sub> reduction [14]. Important technological progress with batteries, power electronics, electrical motors and production underline the significance of this technology pillar. However, an average ten-year BEV sales rate of 20% results, for example, in a decade in a mere 5 million BEV vehicles sold, with the existence of some 40 million vehicles with a combustion engine in Germany. Therefore, a binding CO<sub>2</sub> quota with a genuine CO<sub>2</sub> reduction potential of at least 25% should be introduced in 2030. The limited availability of reFuels will initially restrict such a quota, however 30%-40% reFuels blended with fossil fuel in 2030 is not unrealistic. This would mean a reFuels quantity requirement of 13-17 million t/a for Germany [28-32]. The blending of fossil fuels with refuels results in a considerable reduction of the genuine CO<sub>2</sub> emission for existing vehicles and can be implemented without technical obstacles.



www.refuels.de

- 5.) The CO<sub>2</sub> regulation existing to-date in the transport sector leads to higher environmental burdens than necessary as its contents are not coherent. Thus, the use of hydrogen in vehicles is evaluated as CO<sub>2</sub>-neutral. On the other hand, the operation of a vehicle with CO<sub>2</sub>-neutral reFuels from a CO<sub>2</sub>-H<sub>2</sub>-cycle is taken fully into account for CO<sub>2</sub> calculation. Contrary to this, the reconversion of CO<sub>2</sub>-neutral reFuels and the operation of a battery vehicle with this electricity is evaluated as being CO<sub>2</sub>-free. These regulations are not physically and scientific sound and result in increased CO<sub>2</sub> emission, burdening the remaining CO<sub>2</sub> budget according to the IPCC recommendations [33]. Faster and better CO<sub>2</sub> reduction is achieved via a technology-neutral approach.
- 6.) The further electrification of the internal combustion engine drivetrain results in eminent CO<sub>2</sub>-reduction [34–38]. This hybrid technology enables consumption and operation advantages with a purely combustion engine-based drivetrain. Some 50% CO<sub>2</sub> savings combined with R33 or G40 fuel<sup>2</sup> can thus be depicted, nevertheless this technology cannot meet today's planned regulatory CO<sub>2</sub> reduction [4]. CO<sub>2</sub> regulation does not take this potential into account, meaning that particularly economical and cheap small cars cannot achieve the target specifications planned for the future.
- 7.) Latest CO<sub>2</sub> regulations of German legislation still hardly show any binding steps for the introduction of reFuels [39]. The total quantity of existing regulatory specifications does not meet the requirement of technological openness and still has a single-sided effect. Considering the future energy situation, the fast introduction of reFuels is indispensable. The comprehensive availability of CO<sub>2</sub>-neutral fuels can only be depicted in accordance with the required investment security for the systems required.

<sup>2</sup> Please note, that the energy and transport sector situation of Germany is often referred in this publication as intensive analysis has been accomplished for this market with comparable key messages for many other countries.

<sup>3</sup> R33 and G40 fuels are diesel fuel and petrol with a reduced fossil fuel share: see chapter "List of Abbreviations"



# Social challenges regarding the drive portfolio for future mobility

CONSIDERABLE SOCIAL CHALLENGES ARISE DUE TO THE ENERGY AND MOBILITY TRANSITION. THE DIFFERENT ENERGY CARRIERS BATTERY, HYDROGEN AND REFUELS WILL RESPECTIVELY MAKE IMPORTANT CONTRIBUTIONS TO CO<sub>2</sub> REDUCTION. THE FOLLOWING CHALLENGES ARISE FROM THE CURRENTLY SINGLE-SIDED FUTURE STRATEGY:

- 1.) Holistic observation of the energy system and knowledge of the interdependencies are important. The advantage of BEV mobility is its favourable energy balance from the electron to the wheel. This advantage against synthetic PtX fuels (eFuels), during whose production process disadvantages arise due to conversion losses [40, 41], means on average, taking in account line loss, charge loss, thermal management operation and customer-typical average vehicle use, an approximately 2-3 times better energy utilisation when operating a battery vehicle as opposed to a modern hybrid vehicle with synthetic fuel from electrical energy [42, 43].

This efficiency benefit of the BEV can in particular be fully utilised when regeneratively generated electricity really is provided for charging [44]. As this can also only in-part be implemented in the long-term, parallel pursuit of the reFuels technology path, that is to say chemical energy storage, is necessary [18].

In order to achieve climate targets, today's fossil energy imports to Germany will have to be replaced by CO<sub>2</sub>-neutral chemical energy carriers.

- a. Good medium-term opportunities exist in importing chemically stored energy from several different locations worldwide [45, 46]. German and European companies' technical expertise enables Europe to assume a leading role in the production and sales of chemical energy carriers in a global network [47]. This results in long-term attractive economic opportunities for European countries and companies.
  - b. Particularly wind-rich and sun-rich regions can be found in-part within, but mostly outside Europe. Energy import via chemical energy carriers is the most economic means to utilise these remote energy sources in Europe. The electrical energy available from wind and photovoltaics systems in suitable regions is approx. 2-3 times higher than in Germany [46, 48–51].
  - c. Important global automotive markets like China now also follow the path of chemical energy carrier reFuels. This provides an economic surroundings which Europe should certainly be part of. [52, 53]
- 2.) Marginal conditions arise for the future mobility system which must be observed in good time:
    - a. Individual mobility today is classless and available to almost all parts of our society Europe-wide and cross-border.



- b. A high range for vehicles in the cheap market segment with batteries is not to be expected in the mid-term<sup>3</sup> because the battery size is decisive for the product price. Individual mobility with cheap vehicles with a high range cannot be depicted with BEVs alone.
  - c. The value chains for different drive systems vary. Therefore, the medium-term effects of various drive systems for production at industrial locations in Europe must be evaluated comprehensively with regard to salary structures, tax income and social security tax.
  - d. The introduction and further research of an H<sub>2</sub>-driven mobility system offers a major opportunity for selected vehicle segments. Social acceptance, the resulting costs and technical challenges in particular of the fuel cell (FC) do not allow concrete predictions currently regarding start of large series production and vehicle costs.
- 3.) Due to the intelligent expansion of charging options at the workplace, electrical battery mobility can be extended to new groups of the population. Nevertheless, also in the long-term there will not be adequate charging opportunities for all vehicles, in particular in towns and cities. The availability of charging facilities decisively influences the market acceptance of BEV and correct operation of PHEV.
  - 4.) In addition to the energy density, the major advantage of the reFuels is the storability of the energy carrier. This makes reFuels time-independent, meaning use and manufacturing of use reFuels from the are independent from each other. In particular in rare, but important emergency and catastrophe situations (cold, war, electricity failure), the storability of reFuels proves to be a valuable advantage.
  - 5.) The costs of our future mobility system must be elucidated more clearly, also against the backdrop of the Covid-19 pandemic. Numerous business analyses show that manufacturing costs for CO<sub>2</sub>-neutral reFuels of considerably under €2/l to lower than €1/l are realistic in the long-term if cheap locations are used [6, 45, 50, 61–66], in particular if the electricity generation costs are considerably lower than €0.02/kWh. These fuel costs already include the investment costs for the systems, making reFuels a significant module within an economically sustainable mobility system.
  - 6.) The current pandemic has in particular shown the lacking resilience of the supply chains for important industrial processes and economies [67]. When evaluating the future drive portfolio, the effects of the resilience of supply chains in international alliance should be relatively significant. Moreover, the high significance of mobility available at all times and transport capacity in system-relevant area has become clear to society.

<sup>3</sup> For example, an estimation of the coverage of mobility requirements can be found at an estimation of the battery cost development with battery cost scenarios up to less than €80/kWh can be found at [55–60].

# List of Abbreviations

---

BEV	Battery Electric Vehicle; electrical vehicle with battery storage without further energy storage
bioFuels	Biogenic fuels; fuel manufactured from organic or animal raw materials; the biogenic resource is limited, however 20-30% can be depicted as a valuable partial energy contribution to CO <sub>2</sub> reduction.
BtX	Biomass to X; alternative designation for bioFuels
B7	Technical term for Diesel fuel with 7% bio Diesel share. The bio Diesel consists of organic and animal oil and fat, which is prepared by esterification in a production process. The technical term is fatty acid methyl ester (FAME).
CO <sub>2</sub>	Carbon dioxide; develops during energy release due to the oxidisation of energy carriers with a carbon component.
DIN	Deutsche Industrie Norm [German Industry Standard]
eFuels	Synthetic fuels; fuel manufactured from electrical energy which enables the storage and economical transport of sun, water and wind energy from distant regions, e.g. South America, Africa, Arabia, Australia
EN228	Abbreviation for EuroNorm EN228; defines the composition of petrol
EN590	Abbreviation for EuroNorm EN590; defines the composition of Diesel fuel
FC	Fuel cell; enables transformation, for example of hydrogen to electrical energy.
FCV	Fuel Cell Vehicle; electrical vehicle with a fuel cell to provide electrical energy
G40	Petrol which meets today's fuel specifications (EN228) and can therefore be used for all vehicles. G40 contains 60% fossil components, 10% ethanol and 30% MtG.
H <sub>2</sub>	As the smallest chemical element, hydrogen is a possible comprehensive future fuel for FC or VM application.
Hybrid	Hybrid drives incorporate both the VM and an electrical engine and enable electrical recuperation (braking energy recovery) as well as overall system improvement via optimum regulation of electrical and combustion engine drive.
ICE	Internal Combustion Engine without or combinable with an additional electrical engine (hybrid), can be operated with fossil fuels or reFuels. Operation with reFuels allows low, holistic CO <sub>2</sub> emission, depending on the reFuels fuel share and reFuels production mode. VMs are viewed both with fossil and reFuels fuel with state-of-the-art technology as quasi emission-neutral due to their very low emission. The current EURO7 legislation initiative also ensures that the most stringent air quality requirements are met.
MtG	Methanol to Gasoline; from the intermediate methanol, can generate petrol
NH <sub>3</sub>	Ammoniac; example of a possible fuel, maybe for ships' applications with CO <sub>2</sub> -free energy transformation due to the missing carbon share of NH <sub>3</sub>

# List of Abbreviations

---

- PHEV** Plugin Hybrid Vehicle; hybrid vehicle with a large battery storage capacity and an additional charging option for the battery
- PtX** Power to X, alternative term for eFuels
- reFuels** alternative term for synthetic eFuels and biogenic bioFuels  
An admixture, for example, of 26% reFuel B7 plus 67% fossil diesel results in Diesel fuel R33 within the current specification of EN590 with a CO<sub>2</sub> reduction potential >20%  
For petrol, an ethanol share of 20% plus a further MtG share of 20% also enables an overall CO<sub>2</sub> reduction potential >20%
- RED 2** Renewable Energy Directive 2; implementation of specifications from Directive (EU) 2018/2001 from the European Parliament and the European Council from December 11, 2018 on the promotion of the use of energy from renewable sources for approval processes within the Federal State's emission legislation
- R33** Diesel fuel which meets today's fuel specifications (EN590) and can therefore be used for all vehicles. R33 contains 67% fossil components, 7% bio Diesel share and 26% paraffinic Diesel share reFuel. S33 is equivalent to R33 but considers only synthetic Diesel via FT-path and no biomass base paraffinic Diesel
- Sectors** Within the scope of the Federal Climate Protection Act, the CO<sub>2</sub> emission is separately recorded and evaluated for the sectors energy economy, industry, buildings, traffic, agriculture and waste and miscellaneous. Coupled processes (such as the production of a vehicle with energy-economical influence on the operation and a traffic contribution) are separated artificially by regulatory means, making holistic optimisation no longer possible.

# Bibliography

---

1. VEREINTE NATIONEN. Pariser Klimaschutzabkommen, 2015.
2. COURVOISIER, T.J. Decarbonisation of transport. Options and challenges. Halle (Saale): EASAC Secretariat, Deutsche Akademie der Naturforscher Leopoldina, German National Academy of Sciences, March 2019. Science advice for the benefit of Europe. 37. ISBN 978-3-8047-3977-2.
3. ZHANG, G. Geely Hybridmotor: Weltklasse-Effizienz für Hybridfahrzeuge. Aachen, 2020. 29th Aachen Colloquium Automobile and Engine Technology 2020.
4. MORIKAWA, A., C. Heimermann, M. Schüttenhelm, M. Frambourg, M. Henn und T. Löscheter Horst. CO<sub>2</sub>-Lighthouse Diesel Engine from Volkswagen Group Research. Aachen, 2018. 27th Aachen Colloquium Automobile and Engine Technology 2018.
5. JOHNSON, T. und A. JOSHI. Review of Vehicle Engine Efficiency and Emissions [online]. SAE International Journal of Engines, 2018, 11(6), 1307-1330. ISSN 1946-3944. Verfügbar unter: doi:10.4271/2018-01-0329
6. KRÄMER, U. FVV-Kraftstoffstudie III: Defossilisierung des Transportsektors. Frankfurt, 2018.
7. KISHI, A. Natural gas vehicle development in Japan: the utilization of natural gas as an alternative fuel. Baden-Baden, 2020. 7th international engine congress.
8. O'CONNOR, J., M. BORZ, D. RUTH, J. HAN, C. PAUL, A. IMREN, D. HAWORTH, J. MARTIN, A. BOEHMAN, J. LI, K. HEFFELFINGER, S. MCLAUGHLIN, R. MORTON, A. ANDERSSON und A. KARLSSON. Optimization of an Advanced Combustion Strategy Towards 55% BTE for the Volvo SuperTruck Program [online]. SAE International Journal of Engines, 2017, 10(3), 1217-1227. ISSN 1946-3944. Verfügbar unter: doi:10.4271/2017-01-0723
9. GRAVEL, R. Freight Mobility and SuperTruck [online]. Transportation and Mobility Emerging Trends and Promising Technologies, 2016 [Zugriff am: 4. März 2021]. Verfügbar unter: <https://euagenda.eu/upload/publications/untitled-60389-ea.pdf>
10. MOHR, D., T. SHIPP und X. LU. The Thermodynamic Design, Analysis and Test of Cummins' Supertruck 2 50% Brake Thermal Efficiency Engine System. In: SAE Technical Paper Series: SAE International 400 Commonwealth Drive, Warrendale, PA, United States, 2019.
11. IIDA, N., T. ISHIYAMA, S. KANEKO und D. YASUHIRO. Achieving thermal efficiency of over 50% in passenger car engines [online], 2019. Verfügbar unter: <https://www.jst.go.jp/EN/achievements/research/bt2019-04.html>
12. KÜNG, L. Exploration of Systemic Strategies to Decarbonize Swiss Passenger Cars with a Focus on Vehicle Real-World Energy Demand, 2020.
13. WILLNER, T. Climate Protection in the Transport Sector – The Key Role of Alternative Fuels. In: J. Werner, N. Biethahn, R. Kolke, E. Sucky und W. Honekamp, Hg. Mobility in a Globalised World 2019. Bamberg: University of Bamberg Press, 2020, S. 261-289. ISBN 978-3-86309-731-8.

14. FRONTIER ECONOMICS. CO<sub>2</sub>-Effekte aus der Stromnachfrage durch die zunehmende Elektrifizierung des Mobilitätssektors. Studie für die FVV eV, 01.2021.
15. C. BÖHMEKE, T. KOCH The Remaining CO<sub>2</sub> Budget. in Veröffentlichung. Automotive and Engine Technology, Springer Verlag, Heidelberg, 2021.
16. FRONTIER ECONOMICS. Cradle-to-Grave-Lebenszyklus-analyse im Mobilitätssektor. Studie im Auftrag der FVV. Frankfurt, 2020.
17. JOANNEUM RESEARCH. Geschätzte Treibhausgasemissionen und Primärenergieverbrauch in der Lebenszyklusanalyse von Pkw-basierten Verkehrssystemen [online]. Studie für ÖAMTC (Österreichischer Automobil-, Motorrad- und Touring Club), FiA (Fédération Internationale de l'Automobile) und ADAC (Allgemeiner Deutscher Automobil-Club), 2019 [Zugriff am: 14. März 2021]. Verfügbar unter: <https://www.adac.de/-/media/pdf/tet/lca-tool---joanneum-research.pdf?la=de-de&hash=F06DD4E9DF0845BC95BA22BCA76C4206>
18. HELMHOLTZ-GEMEINSCHAFT. Definition des Programms „Energiesystemdesign“, Forschungsbereich Energie, Onlinestellung in 2021, 2021.
19. KLAASSEN, L. Energie System 2050: Open-Source-Modelle für das künftige Energiesystem [online]. Ein Gespräch mit Holger Hanselka, 2020 [Zugriff am: 5. März 2021]. Verfügbar unter: <https://www.helmholtz.de/energie/open-source-modelle-fuer-das-kuenftige-energiesystem/>
20. ARBEITSGEMEINSCHAFT ENERGIEBILANZEN. Auswertungstabellen 1990 - 2019 (Datenstand September 2020) [online], 2020. Verfügbar unter: [www.ag-energiebilanzen.de](http://www.ag-energiebilanzen.de)
21. DESTATIS. Umweltökonomische Gesamtrechnungen. Berichtszeitraum 2000 - 2018, 2020.
22. BUNDESNETZAGENTUR FÜR ELEKTRIZITÄT, GAS, TELEKOMMUNIKATION, POST UND EISENBAHNEN. Genehmigung des Szenariorahmens 2019-2030. Bonn, 2018.
23. DREIZLER, A., J. JANICKA, H. PITSCH und C. SCHULZ. Energiewende: verlässlich, machbar, technologieoffen [online]. 2020 [Zugriff am: 3. März 2021]. Verfügbar unter: [https://www.rsm.tu-darmstadt.de/media/rsm/news\\_rsm/Positionspapier\\_Energiewende\\_Dreizler\\_et\\_al~1.pdf](https://www.rsm.tu-darmstadt.de/media/rsm/news_rsm/Positionspapier_Energiewende_Dreizler_et_al~1.pdf)
24. EUROPÄISCHE KOMMISSION. Der europäische grüne Deal; Mitteilung der Kommission an das europäische Parlament, den europäischen Rat, den Rat, den europäischen Wirtschafts- und Sozialausschuss und den Ausschuss der Regionen. Brüssel, 2019.
25. BUNDESNETZAGENTUR FÜR ELEKTRIZITÄT, GAS, TELEKOMMUNIKATION, POST UND EISENBAHNEN. Genehmigung des Szenariorahmens 2021-2035. Bonn, 2020.
26. BUNDES-KLIMASCHUTZGESETZ. Gesetz zur Einführung eines Bundes-Klimaschutzgesetzes und zur Änderung weiterer Vorschriften [online], 2019 [Zugriff am: 3. März 2021]. Verfügbar unter: [https://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger\\_BGBl&start=//\\*\[@attr\\_id='bgbl119s2513.pdf'\]#\\_\\_bgbl\\_\\_%2F%2F\\*%5B%40attr\\_id%3D%27bgbl119s2513.pdf%27%5D\\_\\_1613825455897](https://www.bgbl.de/xaver/bgbl/start.xav?startbk=Bundesanzeiger_BGBl&start=//*[@attr_id='bgbl119s2513.pdf']#__bgbl__%2F%2F*%5B%40attr_id%3D%27bgbl119s2513.pdf%27%5D__1613825455897)

27. ANDERSSON, Ö. und P. BÖRJESSON. The greenhouse gas emissions of an electrified vehicle combined with renewable fuels: Life cycle assessment and policy implications [online]. Applied Energy, 2021, (Volume 289). ISSN 03062619. Verfügbar unter: doi:10.1016/j.apenergy.2021.116621
28. DBFZ. Schlussbericht zum Vorhaben Arbeitsgruppe Biomassereststoffmonitoring (AG BioRest-Mon) [online]. DBFZ Deutsches Biomasseforschungszentrum gemeinnützige GmbH, 2019 [Zugriff am: 22. März 2021]. Verfügbar unter: <https://www.fnr-server.de/ftp/pdf/berichte/22019215.pdf>
29. BROSOWSKI, A., T. KRAUSE, U. MANTAU, B. MAHRO, A. NOKE, F. RICHTER, T. RAUSSEN, R. BISCHOF, T. HERING, C. BLANKE, P. MÜLLER und D. THRÄN. How to measure the impact of biogenic residues, wastes and by-products: Development of a national resource monitoring based on the example of Germany [online]. Biomass and Bioenergy, 2019, 127, 105275. ISSN 09619534. Verfügbar unter: doi:10.1016/j.biombioe.2019.105275
30. BROSOWSKI, A., D. THRÄN, U. MANTAU, B. MAHRO, G. ERDMANN, P. ADLER, W. STINNER, G. REINHOLD, T. HERING und C. BLANKE. A review of biomass potential and current utilisation – Status quo for 93 biogenic wastes and residues in Germany [online]. Biomass and Bioenergy, 2016, 95, 257-272. ISSN 09619534. Verfügbar unter: doi:10.1016/j.biombioe.2016.10.017
31. BROSOWSKI, A., R. BILL und D. THRÄN. Temporal and Spatial Availability of Cereal Straw in Germany - Case Study: Biomethane for the Transport Sector, 2020.
32. PORSCHE AG. Porsche und Siemens Energy treiben mit Partnern die Entwicklung klimaneutraler eFuels voran [online], 2020 [Zugriff am: 22. März 2021]. Verfügbar unter: <https://newsroom.porsche.com/de/2020/unternehmen/porsche-siemens-energy-pilotprojekt-chile-forschung-entwicklung-synthetische-kraftstoffe-efuels-23020.html>
33. IPCC. 1,5 °C Globale Erwärmung, Zusammenfassung für politische Entscheidungsträger. Bonn, 2018.
34. SCHÖFFMANN, W., M. HOWLETT, B. ENZI, S. KRAPF, C. SAMS, H. WANCURA, M. WEISSBÄCK und H. SORGER. Future diesel powertrain in LCV and SUV – electrified, modular platform with focus on emission, efficiency and cost. In: J. Liebl, C. Beidl und W. Maus, Hg. Internationaler Motorenkongress 2020. Wiesbaden: Springer Fachmedien Wiesbaden GmbH; Springer Vieweg, 2020, S. 41-60. ISBN 978-3-658-30499-7.
35. SCHAUB, J., M. PIEPER, S. KLOPSTEIN, M. ÜBBING, P. KNAPPE, P. MUTHYALA und T. SCHMIDT. Electrified efficiency – diesel hybrid powertrain concepts for light commercial vehicles. In: J. Liebl, C. Beidl und W. Maus, Hg. Internationaler Motorenkongress 2020. Wiesbaden: Springer Fachmedien Wiesbaden GmbH; Springer Vieweg, 2020, S. 335-352. ISBN 978-3-658-30499-7.
36. MELAIKA, M., S. MAMIKOGLU und P. DAHLANDER. 48V Mild-Hybrid Architecture Types, Fuels and Power Levels Needed to Achieve 75g CO<sub>2</sub>/km. In: SAE Technical Paper Series: SAE Inter-

- national400 Commonwealth Drive, Warrendale, PA, United States, 2019.
37. HOMM, M. The drivetrain for tomorrow – an optimization with many parameters. In: J. Liebl, Hg. Der Antrieb von morgen 2019. Wiesbaden: Springer Fachmedien Wiesbaden, 2019, S. 1-12. ISBN 978-3-658-26055-2.
  38. FRITZ, M., T. HILLENBRAND und T. PFUND. 48-V-Technologien im Fahrzeug [online]. ATZextra, 2017, 22(S1), 28-33. ISSN 2195-1454. Verfügbar unter: doi:10.1007/s35778-017-0006-3
  39. BUNDESREGIERUNG. I INFORMATION „KLIMASCHONENDER VERKEHR [online], 202! [Zugriff am: 3. Juni 2021]. Verfügbar unter: <https://www.bundesregierung.de/breg-de/themen/klimaschutz/klimaschonender-verkehr-1794672>
  40. PREGGER, T., G. SCHILLER, F. CEBULLA, R.-U. DIETRICH, S. MAIER, A. THESS, A. LISCHKE, N. MONNERIE, C. SATTLER, P. LE CLERCQ, B. RAUCH, M. KÖHLER, M. SEVERIN, P. KUTNE, C. VOIGT, H. SCHLAGER, S. EHRENBERGER, M. FEINAUER, L. WERLING, V.P. ZHUKOV, C. KIRCHBERGER, H.K. CIEZKI, F. LINKE, T. METHLING, U. RIEDEL und M. AIGNER. Future Fuels—Analyses of the Future Prospects of Renewable Synthetic Fuels [online]. Energies, 2020, 13(1), 138. Verfügbar unter: doi:10.3390/en13010138
  41. DIETRICH, R.-U., F. ALBRECHT und T. PREGGER. Erzeugung alternativer flüssiger Kraftstoffe im zukünftigen Energiesystem [online]. Chemie Ingenieur Technik, 2018, 90(1-2), 179-192. ISSN 0009286X. Verfügbar unter: doi:10.1002/cite.201700090
  42. FRONTIER ECONOMICS. Der Effizienzbegriff in der klimapolitischen Debatte zum Straßenverkehr. Studie im Auftrag UNITI Bundesverband mittelständischer Mineralölunternehmen e. V. & Mineralölwirtschaftsverband e.V. Berlin, 2020.
  43. KOCH, T. und ET. AL. CO<sub>2</sub> und refuels, regenerative Kraftstoffe reFuels als wichtiger Beitrag zur Reduktion der CO<sub>2</sub>-Emissionen, Bericht aus Vorhaben reFuels – Kraftstoffe neu denken. beteiligte Ministerien VM, WM, UM, MWK,., Stuttgart, 2020.
  44. FRAUNHOFER ISE. Treibhausgas-Emissionen für Batterie- und Brennstoffzellenfahrzeuge mit Reichweiten über 300 km. [online]. Studie im Auftrag der H2 Mobility, 2019. Verfügbar unter: [https://www.ise.fraunhofer.de/content/dam/ise/de/documents/news/2019/ISE\\_Ergebnisse\\_Studie\\_Treibhausgasemissionen.pdf](https://www.ise.fraunhofer.de/content/dam/ise/de/documents/news/2019/ISE_Ergebnisse_Studie_Treibhausgasemissionen.pdf)
  45. DENA. dena-Leitstudie Integrierte Energiewende. Berlin, 2018.
  46. FASIHI, M., D. BOGDANOV und C. BREYER. Overview on PTX options studied in NCE and their global potential based on hybrid PV-Wind power plants. Lappeenranta, 2017. Neo-Carbon Energy 9th Researchers' Seminar.
  47. Förderprogramm „BW-Elektrolyse“ [online], 2020. Verfügbar unter: <https://www.bw-elektrolyse.de/>
  48. WORLD BANK GROUP. Global Solar Atlas [online], 2020 [Zugriff am: 3. März 2021]. Verfügbar



- unter: <https://olc.worldbank.org/content/global-solar-atlas>
49. FASIHI, M. und C. BREYER. Synthetic fuels and chemicals: Options and Systemic Impact. Berlin, 2018. Strommarkttreffen Power-to-gas und power-to-fuel.
  50. FASIHI, M., D. BOGDANOV und C. BREYER. Techno-Economic Assessment of Power-to-Liquids (PtL) Fuels Production and Global Trading Based on Hybrid PV-Wind Power Plants [online]. Energy Procedia, 2016, 99, 243-268. ISSN 18766102. Verfügbar unter: doi:10.1016/j.egypro.2016.10.115
  51. FASIHI, M. und C. BREYER. Baseload electricity and hydrogen supply based on hybrid PV-wind power plants [online]. Journal of Cleaner Production, 2020, 243, 118466. ISSN 09596526. Verfügbar unter: doi:10.1016/j.jclepro.2019.118466
  52. WISSENSCHAFTLICHER DIENST DES BUNDESTAGS. WD 8 - 3000 - 079/20 Einzelfragen zu synthetischen Kraftstoffen (E-Fuels). Berlin, 2020.
  53. ENERGY RESEARCH INSTITUTE OF ACADEMY OF MACROECONOMIC RESEARCH. China Renewable Energy Outlook. Peking, 2019.
  54. WEISS, C., B. CHLOND, M. HEILIG und P. VORTISCH. Capturing the Usage of the German Car Fleet for a One Year Period to Evaluate the Suitability of Battery Electric Vehicles – A Model based Approach [online]. Transportation Research Procedia, 2014, 1(1), 133-141. ISSN 23521465. Verfügbar unter: doi:10.1016/j.trpro.2014.07.014
  55. FUNKE, S.Á., P. PLÖTZ und M. WIETSCHHEL. Invest in fast-charging infrastructure or in longer battery ranges? A cost-efficiency comparison for Germany [online]. Applied Energy, 2019, 235, 888-899. ISSN 03062619. Verfügbar unter: doi:10.1016/j.apenergy.2018.10.134
  56. BERCKMANS, G., M. MESSAGIE, J. SMEKENS, N. OMAR, L. VANHAVERBEKE und J. VAN MIERLO. Cost Projection of State of the Art Lithium-Ion Batteries for Electric Vehicles Up to 2030 [online]. Energies, 2017, 10(9), 1314. Verfügbar unter: doi:10.3390/en10091314
  57. EDELENBOSCH, O.Y., A.F. HOF, B. NYKVIST, B. GIROD und D.P. VAN VUUREN. Transport electrification: the effect of recent battery cost reduction on future emission scenarios [online]. Climatic Change, 2018, 151(2), 95-108. ISSN 0165-0009. Verfügbar unter: doi:10.1007/s10584-018-2250-y
  58. FRIES, M., M. KERLER, S. ROHR, M. SINNING, S. SCHICKRAM, M. LIENKAMP, R. KOCHHAN, S. FUCHS, B. REUTER, P. BURDA und S. MATZ. An Overview of Costs for Vehicle Components, Fuels, Greenhouse Gas Emissions and Total Cost of Ownership - Update 2017 [online]. 2017. Verfügbar unter: <https://doi.org/10.13140/rg.2.2.11685.40164>
  59. KÖNIG, A., L. NICOLETTI, D. SCHRÖDER, S. WOLFF, A. WACLAW und M. LIENKAMP. An Overview of Parameter and Cost for Battery Electric Vehicles [online]. World Electric Vehicle Journal, 2021, 12(1), 21. Verfügbar unter: doi:10.3390/wevj12010021
  60. WENTKER, M., M. GREENWOOD und J. LEKER. A Bottom-Up Approach to Lithium-Ion Battery Cost Modeling with a Focus on Cathode Active Materials [online]. Energies, 2019, 12(3), 504. Ver-

fügar unter: doi:10.3390/en12030504

61. PROGNOSE, FRAUNHOFER-UMSICHT und DBFZ. Status und Perspektiven flüssiger Energieträger in der Energiewende. Berlin, 2018.
62. EWI. dena-Leitstudie Integrierte Energiewende. Gutachterbericht. Köln, 2018.
63. HEINZMANN ET AL. Techno-ökonomische Bewertung von Herstellungsrouten zur Produktion regenerativer synthetischer Kraftstoffe. Working Paper Series in Production and Energy (in Publication). Karlsruhe, 2021.
64. DENA und LBST. E FUELS STUDY. The potential of electricity based fuels for low emission transport in the EU. Berlin, 2017.
65. BCG und PROGNOSE. Klimapfade für Deutschland, 2018.
66. AGORA VERKEHRSWENDE, AGORA ENERGIEWENDE und FRONTIER ECONOMICS. Die zukünftigen Kosten strombasierter synthetischer Brennstoffe, 2018.
67. BUNDE, N. Covid-19 und die Industrie: Führt die Krise zum Rückbau globaler Lieferketten? ifo Schnelldienst, 2021, 74(1).
68. BP (2000): World Electricity Generation, Year 2019
69. IJER editorial: The future of the internal combustion engine. International J of Engine Research 2020, Vol 21(1) 3-10, DOI: 10.1177/1468087419877990

# Signees

**This positioning paper is published by the International Scientific Association of Sustainable Drivetrain and Vehicle Technology Research, IASTEC (in the process of founding).  
Representatives from seven important regions of the world have signed this paper in June 2021 as the main responsible partners.**

## NORTH AMERICA



**Prof. Giorgio Rizzoni, fSAE, fIEEE**  
Director and Senior Fellow, Center for  
Automotive Research  
Department of Mechanical and Aerospace  
Engineering  
Department of Electrical and Computer  
Engineering  
The Ohio State University  
930 Kinnear Road, Columbus, OH 43212, USA

## SOUTH AMERICA



**Professor Dr. José Guilherme Coelho Baêta**  
Department of Mechanical Engineering - DEMEC  
Federal University of Minas Gerais, Brazil

## EUROPE



**Univ.-Prof. Dr. sc. techn. Thomas Koch**  
Karlsruher Institut für Technologie  
Institut für Kolbenmaschinen  
Rintheimer Querallee 2  
76131 Karlsruhe

## ASIA - CHINA



**Min Xu, PhD**  
**Professor, SAE Fellow**  
Director, The Institute of Automotive Engineering  
Shanghai Jiao Tong University  
800 Dong Chuan Rd, Minhang District,  
Shanghai, 200240 China

## ASIA - JAPAN



**Prof. Yasuo Moriyoshi, Chiba University**

1-33 Yayoi-cho, Chiba, Japan 2638522

## ASIA -REPUBLIC KOREA



**Professor, PhD, Choongsik Bae**

Korea Advanced Institute of Science &  
Technology (KAIST)

Dept. Mechanical Engineering

291 Daehak-ro, Yuseong, Daejeon 34141;

Korea

## AUSTRALIA



**Professor Sanghoon (Shawn) Kook**

School of Mechanical and Manufacturing  
Engineering

The University of New South Wales

UNSW Sydney NSW 2052, Australia

## NORTH AMERICA

### Canada



**Prof. Ming Zheng**

University of Windsor

401 Sunset Ave, Windsor, Ontario, Canada

### Mexico



**Prof. Michael Palocz-Andresen**

TEC de Monterrey, Campus Estado de Mexico

Departamento Mecatronica

Av Lago de Guadalupe KM 3.5, Margarita Maza de Juárez

52926 Cd López Mateos, Méx., Mexico

### USA



**Professor Ron Matthews**

Head, Engines and Automotive Research Labs

204 E. Dean Keeton Street, C2200

The University of Texas

Austin, Texas 78712, USA



**Dr. Paul Miles**

Sandia National Laboratories

Livermore, CA 94551-0969, USA

**The content and main messages of this positioning paper are emphatically supported by the following representatives of IASTEC (in the process of founding).**



**Prof. Dr. Juan Carlos Prince**

Tecnológico de Monterrey, Campus Puebla

Altixcayotl 5718, 72453

Puebla, Pue., México



**Prof. Marcis Jansons, Ph.D.; P.E.**

Associate Professor Mechanical Engineering

Early Engineering Programs, Director

Wayne State University, College of Engineering

5050 Anthony Wayne Dr.

Detroit, MI 48202, USA



**Prof. Rolf Reitz**

Co-Editor of the International Journal of Engine Research

Former Director, Engine Research Center

University of Wisconsin-Madison

Madison, WI 53706, USA

## SOUTH AMERICA


### Argentina



**Prof. Pedro Obiaz**

Buenos Aires Institute of Technology  
School of Engineering  
Av. Eduardo Madero 399, C1106 CABA, Argentina

### Brazil



**Prof. Mario Martins**

GPMOT- Engines, Fuels and Emissions  
Research Group  
Federal University of Santa Maria  
Mechanical Engineering Department  
Avenida Roraima, nº1000 - Cidade Uni-  
versitária - Camobi  
CEP: 97105-900  
Santa Maria – RS, Brazil

## EUROPE

### Austria



**Univ.-Prof. Dipl.-Ing. Dr. techn.**

**Helmut Eichlseder**

Technische Universität Graz  
Institut für Verbrennungskraftmaschinen  
und Thermodynamik  
Inffeldgasse 19, 8010 Graz, Austria



**Univ.-Prof. Dr. techn. Peter Fischer**

Technische Universität Graz  
Institut für Fahrzeugtechnik  
Inffeldgasse 11/II  
8010 Graz, Austria

## EUROPE



**Univ.-Prof. Dr. techn. Bernhard Geringer**

Technische Universität Wien  
Institut für Fahrzeugantriebe  
und Automobiltechnik  
Getreidemarkt 9, 1060 Wien, Austria

### Belgium



**Prof. Dr. ir. Sebastian Verhelst**

Ghent University  
Faculty of Engineering and Architecture  
Sustainable Thermo-Fluid Energy Systems  
research group  
Sint-Pietersnieuwstraat 41, B 9000 Gent, Belgium

### Czech Republic




**Prof. Dr.sc.techn. Vaclav Pistek**

Brno University of Technology  
Institute of Automotive Engineering  
Technicka 2  
CZ-616 69 Brno, Czech Republic



**Prof. Josef Stetina**

Institute of Automotive Engineering  
Faculty of Mechanical Engineering  
BRNO UNIVERSITY OF TECHNOLOGY  
Technicka 2 Brno, 616 69, Czech Republic



**Prof. Jan Macek**

Czech Technical University in Prague,  
Faculty of Mechanical Engineering  
Center of Vehicles for Sustainable Mobility  
Technická 4  
166 07 Praha 6, Czech Republic

## EUROPE



**Dr. Oldrich Vitek**

Czech Technical University in Prague  
Department of Automotive, Combustion Engine  
and Railway Engineering  
Technicka 4  
CZ-16607 Prague, Czech Republic

## France



**Prof. Jacques Borée**

ISAE-ENSMA  
Pprime Institute CNRS UPR3346  
1, avenue Clément Ader  
86961 Futuroscope Chasseneuil, France



**Dr. Bastien Boust**

PRIME Institute  
ISAE-ENSMA  
1, av. Clément Ader  
86961 Futuroscope Chasseneuil CEDEX, France




**Prof. Ashwin Chinnayya**

Institut PPREIM, CNRS  
ENSMA University of Poitiers  
Poitiers, France



**Prof. Dany Escudié**

CETHIL UMR 5008 CNRS INSA Univ. Lyon1  
Domaine scientifique de la Doua - Bât. Sadi Carnot  
INSA de Lyon - 20, Avenue Albert Einstein  
69621 VILLEURBANNE, France



**Prof. Pascal Chesse**

Ecole Centrale de Nantes  
Laboratoire LHEEA  
1, rue de la Noé  
44321 Nantes, France



**Prof. Alain MAIBOOM**

Ecole Centrale de Nantes  
Laboratoire LHEEA  
1, rue de la Noé  
44321 Nantes, France



## EUROPE



**Prof. Xavier Tautzia**

Ecole Central de Nantes  
Laboratoire LHEEA  
1, Rue de la Noe  
44321 Nantes, France



**Dr. Pierre-Alexandre Glaude**


CNRS Université de Lorraine  
Laboratoire Réactions et Génie des Procédés  
(LRGP)  
1 rue Grandville  
5400, Nancy, France



**Prof. Christine Rousselle**


Université d'Orléans  
8 rue Léonardo de Vinci  
45072 Orléans, France

## Georgia



**Prof. Jumber Iosebidge**


Department of Road Transport  
Georgian Technical University  
Kostavastr. 77  
0175, Tbilisi, Georgia



**Prof. Tamaz Natriashvili**

Institute of Machine Mechanics  
National Academy of Sciences of Georgia  
Mindeli Str. 10  
0186, Tbilisi, Georgia

## Germany




**Univ.-Prof. Dr.-Ing. Lutz Eckstein**

RWTH Aachen Universität  
Institut für Kraftfahrzeuge  
Steinbachstraße 7  
52074 Aachen, Germany



**Prof. Thomas Esch**

Fachhochschule Aachen  
Lehr- und Forschungsgebiet Thermodynamik und  
Verbrennungstechnik  
Hohenstaufenallee 6  
52064 Aachen, Germany



**Univ.-Prof. Dr.-Ing. Steffen Müller**

Technische Universität Berlin  
Fachgebiet Kraftfahrzeuge  
Sekretariat TIB 13  
Gustav-Meyer-Allee 25  
13355 Berlin, Germany



**Univ.-Prof. Dr.-Ing. Peter Eilts**

Technische Universität Braunschweig  
Institut für Verbrennungskraftmaschinen  
Hermann-Blenk-Straße 42  
38108 Braunschweig, Germany



**Univ.-Prof. Dr.-Ing. Karl-Ludwig Krieger**

Universität Bremen  
Fachbereich 1 - Elektro- und  
Informationstechnik  
ITEM - Elektronische Fahrzeugsysteme  
Otto-Hahn-Allee  
28359 Bremen, Germany




**Prof. Hartmut Gnuschke**

Hochschule für Angewandte Wissenschaft Coburg  
Technologietransferzentrum Automotive (TAC)  
Friedrich-Streib-Str. 2  
96450 Coburg, Germany




**Univ.-Prof. Dr.-Ing. Wolfgang Eifler**

Ruhr-Universität Bochum  
Lehrstuhl für Verbrennungsmotoren  
Gebäude IC 2/129  
Universitätstraße 150  
44801 Bochum, Germany




**Univ.-Prof. Dr.-Ing. Ferit Küçükay**

Technische Universität Braunschweig  
Institut für Fahrzeugtechnik  
Technische Universität Braunschweig  
Hans-Sommer-Str. 4  
38106 Braunschweig, Germany



**Univ.-Prof. Dr.-Ing. Ralph Mayer**

Technische Universität Chemnitz  
Professur Fahrzeugsystemdesign  
09107 Chemnitz, Germany



**Prof. Fabian Mauss**

Thermodynamik/Thermische Verfahrenstechnik  
Brandenburgische Technische Universität Cottbus-Senftenberg  
Siemens-Halske-Ring 8  
03046 Cottbus, Germany



**Univ.-Prof. Dr.-Ing. techn. Christian Beidl**

Technische Universität Darmstadt  
Institut für Verbrennungskraftmaschinen  
und Fahrzeugantriebe  
Otto-Berndt-Straße 2  
64287 Darmstadt, Germany



**Prof. Rolf Isermann**

Technical University Darmstadt  
Institut für Automatisierungstechnik und  
Mechatronik  
Landgraf-Georg-Str. 4  
64283 Darmstadt, Germany




**Univ.-Prof. Dr.-Ing. Frank Atzler**

Technische Universität Dresden  
Institut für Automobiltechnik Dresden IAD  
Lehrstuhl Verbrennungsmotoren und Antriebssysteme / Jante-Bau  
George-Bähr-Str. 1b  
01062 Dresden, Germany



**Univ.-Prof. Dr.-Ing. Günther Prokop**

Technische Universität Dresden  
Institut für Automobiltechnik Dresden-IAD  
Lehrstuhl Kraftfahrzeugtechnik  
Jante-Bau, 1. OG Zi 21  
George-Bähr-Straße 1c  
01069 Dresden, Germany




**Prof. Dr. habil. Andreas Dreizler**

Fachgebiet Reaktive Strömungen und Messtechnik  
Technische Universität Darmstadt  
Otto-Berndt-Straße 3  
64287 Darmstadt, Germany



**Univ.-Prof. Dr. rer. nat. H. Winner**

Technische Universität Darmstadt  
Fachgebiet Fahrzeugtechnik  
Otto-Berndt-Straße 2  
64287 Darmstadt, Germany




**Univ.-Prof. Dr.-Ing. Bernard Bäker**

Technische Universität Dresden  
Dekan Fakultät Verkehrswissenschaften  
Institut für Automobiltechnik Dresden – IAD  
Lehrstuhl Fahrzeugmechatronik  
George-Bähr-Straße 1c  
01062 Dresden, Germany



**Prof. Gennadi Zikoridse**

Hochschule für Technik und Wirtschaft Dresden  
Forschungsinstitut Fahrzeugtechnik  
Friedrich-List-Platz 1  
01069 Dresden, Germany



**Prof. Dr.-Ing. Stefan Will**

Lehrstuhl für Technische Thermodynamik (LTT)  
Friedrich-Alexander-Universität Erlangen-  
Nürnberg (FAU)  
Am Weichselgarten 8  
D-91058 Erlangen, Germany



**Univ.-Prof. Dr. Friedrich Dinkelacker**

Leibniz Universität Hannover  
Institut für Technische Verbrennung  
Welfengarten 1A  
30167 Hannover, Germany




**Univ.-Prof. Dr.-Ing. Michael Günthner**

Technische Universität Kaiserslautern  
Lehrstuhl für Antriebe in der Fahrzeugtechnik  
Fachbereich Maschinenbau und  
Verfahrenstechnik  
Gottlieb-Daimler-Str. 44/568  
67663 Kaiserslautern, Germany



**Prof. Maurice Kettner**

Karlsruhe University of Applied Sciences  
Moltkestr. 30  
76133 Karlsruhe, Germany



**Univ.- Prof. Dr.-Ing. Wolfgang Thiemann**

Helmut-Schmidt-Universität/  
Universität der Bundeswehr Hamburg  
Institut für Fahrzeugtechnik und  
Antriebssystemtechnik (IFAS)  
Holstenhofweg 85  
22043 Hamburg, Germany



**Prof. Karsten Wittek**

Heilbronn University of Applied Sciences  
Max-Planck-Str. 39  
74081 Heilbronn, Germany



**Univ.-Prof. Dr. rer. nat. F. Gauterin**

Karlsruher Institut für Technologie  
Institut für Fahrzeugsystemtechnik  
Rintheimer Querallee 2  
Gebäude 70.04  
76131 Karlsruhe, Germany



**Univ.-Prof. Dr.-Ing. H. Rottengruber**

Otto-von-Guericke Universität Magdeburg  
Institut für Mobile Systeme  
Postfach 4120  
39016 Magdeburg, Germany

## EUROPE




**Univ.-Prof. Dr.-Ing. Georg Wachtmeister**

Technische Universität München  
Fakultät für Maschinenwesen  
Lehrstuhl für Verbrennungskraftmaschinen  
Schragenhofstraße 31  
80992 München, Germany




**Univ.-Prof. Dr.-Ing. Bert Buchholz**

Universität Rostock  
Fakultät für Maschinenbau und Schiffstechnik  
Lehrstuhl für Kolbenmaschinen und  
Verbrennungsmotoren  
Albert-Einstein-Straße 2  
18059 Rostock, Germany



**Univ.-Prof. Dr.-Ing. Xiangfan Fang**

Universität Siegen  
Lehrstuhl für Fahrzeugleichtbau  
Breite Straße 11  
Gebäude 70.04  
57076 Siegen, Germany



**Univ.-Prof. Dr. Andreas Wagner**

Universität Stuttgart  
Institut für Fahrzeugtechnik Stuttgart  
Pfaffenwaldring 12  
70569 Stuttgart, Germany




**Prof. Hans-Peter Rabl**

Ostbayerische Technische Hochschule Regens-  
burg  
Fakultät Maschinenbau  
Postfach 12 03 27  
93025 Regensburg, Germany



**Prof. Thomas Heinz**

Hochschule für Technik und Wirtschaft des  
Saarlandes  
Institut Automotiv Powertrain (IAP)  
Goebenstr. 40  
66117 Saarbrücken, Germany



**Univ.-Prof. Dr.-Ing. Michael Bargende**

Universität Stuttgart  
Institut für Verbrennungsmotoren  
und Kraftfahrwesen (IVK)  
Pfaffenwaldring 12  
70569 Stuttgart, Germany



**Prof. Rom Rabe**


University of Applied Sciences, Technology,  
Business and Design  
Department of Maritime Studies, Plant Techniques  
and Logistics  
Richard-Wagner-Str. 31  
18119 Rostock, Germany

## EUROPE



**Prof. Jörn Getzlaff**


Institut für Kraftfahrzeugtechnik  
 Westsächsische Hochschule Zwickau  
 Scheffelstr. 69  
 08066 Zwickau, Germany



**Prof. Ulrich Walther**

Westsächsische Hochschule Zwickau  
 Kraftfahrzeugmotoren  
 Scheffelstr. 69  
 08066 Zwickau, Germany

## Greece



**Prof. Dr. Maria Founti**

Director Lab. Of Heterogenous Mixtures &  
 Combustion Systems  
 National Technical University of Athens  
 Polytechniupoli-Zografou  
 Ieroon Polytechniou 9-15780 Athens, Greece




**Prof. Dr. Dimitrios T. Hountalas**

Director of Internal Combustion Engines Lab  
 National Technical University of Athens  
 Ieroon Polytechniou 9, 15780 Zografou Campus  
 Athens, Greece



**Prof. Konstantinos-Stefanos Nikas**

Mechanical Engineering Department  
 University of West Attica (UniWA)  
 250 Thivon & P. Ralli ave.  
 Athens 12241, Greece



**Dr. Nikolaos Nikolopoulos**

Centre for Research and Technology Hellas /  
 Chemical Process and  
 Energy Resources Institute (CERTH/CPERI)  
 Egialeias 52, Maroussi, Athens, Greece



**Univ.-Prof. Dr. Antonios Tourlidakis**

University of Western Macedonia  
 Department of Mechanical Engineering  
 50132 Kozani, Greece



**Prof. Athanasios G. Konstandopoulos**

Chev. Legion d'Honneur  
 Director, Aerosol & Particle Technology Laboratory  
 Aristotle University  
 Department of Chemical Engineering and CPERI/CERTH  
 54124 Thessaloniki, Greece



**Univ.-Prof. Grigorios Koltsakis**  
Aristotle University of Thessaloniki  
Lab of Applied Thermonodynamics  
Dept of Mechanical Engineering  
Building D, 9th Floor University Campus  
54124 Thessaloniki, Greece



**Univ.-Dr. Leonidas Ntziachristos**  
Aristotle University of Thessaloniki  
Lab of Heat Transfer and Environmental Engineering  
Dept of Mechanical Engineering  
Building D, 8th Floor University Campus  
54124 Thessaloniki, Greece



**Univ.-Prof. Zissis Samaras**  
Aristotle University of Thessaloniki  
Lab of Applied Thermonodynamics  
Dept of Mechanical Engineering  
Building D, 9th Floor University Campus  
54124 Thessaloniki, Greece



**Univ.-Prof. Dr. Tassos Stamatelos**  
University of Thessaly  
Mechanical Engineering Dept.  
Thermodynamics & Thermal Engines  
Pedion Areos  
383 34 Volos, Greece



**Univ.-Prof. Dr.-Ing.habil, Nicolas Moussiopoulos**  
Aristotle University of Thessaloniki  
Lab of Heat Transfer and Environmental Engineering  
Dept of Mechanical Engineering  
Building D, 8th Floor University Campus  
54124 Thessaloniki, Greece



**Emeritus Univ.-Prof. Constantine Pattas**  
Aristotle University of Thessaloniki  
Lab of Applied Thermonodynamics  
Dept of Mechanical Engineering  
Building D, 9th Floor University Campus  
54124 Thessaloniki, Greece



**Univ.- Prof. Dr. Ananias Tomboulides**  
Aristotle University of Thessaloniki  
Lab of Applied Thermonodynamics  
Dept of Mechanical Engineering  
Building D, 9th Floor University Campus  
54124 Thessaloniki, Greece

## EUROPE

### Italy

**Prof. Fabio Bozza**

Dipartimento di Ingegneria  
Università di Napoli „Federico II“  
Via Claudio 21-80125-Napoli, Italy

**Prof. Dr-Ing Gianpiero MASTINU**

Politecnico di Milano (Technical University)  
Department of Mechanical Engineering  
via G. La Masa, 1  
20156 Milano, Italy

**Prof. Angelo Onorati**

Dipartimento di Energia  
Politecnico di Milano  
Campus Bovisa, Via Lambruschini 4  
20156 Milano, Italy

**Dr. Bianca Maria Vaglieco**

CNR Institute of Science and Technology  
for Sustainable Energy and Mobility  
Naples, Italy

**Prof. Federico Millo**

Politecnico di Torino | Energy Department  
(DENERG)  
Corso Duca degli Abruzzi, 24  
10129 Torino, Italy

### Poland

**rof. Pawel Fuć, D.Sc., D. Eng.**

Head of the  
Institute of Internal Combustion Engines and  
Powertrains  
Poznan University of Technology  
Piotrowo 3 street, PL 60-965 Poznan, Poland

**Prof. Jerzy Merkisz D.Sc., Eng. PhD. Hc. Multi**

Prof. at Poznan University of Technology  
President of the Board of the Polish Scientific  
Society of Combustion Engines  
Piotrowo 3 street, PL 60-965 Poznan, Poland



## EUROPE




**Prof. Ireneusz Pielecha, D.Sc., D.Eng.**

Head of the Division of Alternative Powertrains  
Poznan University of Technology  
Piotrowo 3 street, PL 60-965 Poznan, Poland



**Prof. ord. Krzysztof Wisłocki, D.Sc. D.Eng.**

Institute of Internal Combustion Engines and  
Powertrains  
Chairman of the Scientific Board of the  
Combustion Engines Magazine  
Poznan University of Technology  
Piotrowo 3 street, PL 60-965 Poznan, Poland



**Prof. Jacek Pielecha D.Sv., D.Eng.**

Dean of Faculty  
Civil Engineering and Transport of  
Poznan University of Technology  
Piotrowo 3 street, PL 60-965 Poznan, Poland

## Russia



**Univ.-Prof. Dr.-Ing. Revaz Kavtaradze**

Moskauer Staatliche Technische Universität  
„N.Bauman“  
Fakultät für Energie-Maschinenbau  
Lehrstuhl für Kolbenmaschinen (E2)  
2-aya Baumanskaia Str., 5  
105005 Moscow. Russia

## Spain



**Prof. Octavio Armas**

Escuela de Ingeniería Industrial y Aeroespacial  
de Toledo  
Universidad de Castilla - La Mancha  
Avenida Camilo José Cela s/n  
45071 Toledo, Spain



**Prof. Magín Lapuerta**

Fuels and Engines Group  
Universidad de Castilla - La Mancha  
Avenida Camilo José Cela s/n  
13071 Ciudad Real, Spain

## EUROPE



**Prof. Pilar Dorado**

Dept. Química Física y Termodinámica Aplicada  
Universidad de Córdoba  
Avenida Medina Azahara, 5  
14071 Córdoba, Spain



**Prof. Jesús Benajes**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Pedro Piqueras Cabrera**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Marcos Carreres**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Hector Climent**

Dr. Josep Gómez  
Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. José M. Desantes**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. José Galindo**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Dr. Josep Gómez**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain

## EUROPE



**Prof. Pilar Dorado**

Dept. Química Física y Termodinámica Aplicada  
Universidad de Córdoba  
Avenida Medina Azahara, 5  
14071 Córdoba, Spain



**Prof. Jesús Benajes**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Pedro Piqueras Cabrera**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Marcos Carreres**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Hector Climent**

Dr. Josep Gómez  
Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. José M. Desantes**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. José Galindo**


Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Dr. Josep Gómez**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain

## EUROPE



**Prof. J. Javier López**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Dr. Xandra Margot**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Joaquín de la Morena**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. emer. Franciso Payri**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Raúl Payri**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. José R. Serrano**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Francisco Tinaut**

Institute CMT  
Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain



**Prof. Antonio J. Torregrosa**

Universitat Politècnica de València  
Camino de Vera s/n  
46022 Valencia, Spain

## EUROPE

**Prof. Andrés Melgar**

Dept. Ingeniería Energética y Fluidomecánica  
Universidad de Valladolid  
Paseo del Cauce 59  
47011 Valladolid, Spain

## Sweden

**Prof. Bengt Johansson**

Combustion Engine Research Center, CERC  
Chalmers University of Technology, Sweden

**Prof. Andrei Lipatnikov**

Department of Mechanics and Maritime Sciences  
Chalmers University of Technology  
Gothenburg, 412 96, Sweden

## Switzerland

**Prof. Dr. Kai Herrmann**

Institute of Thermal and Fluid Engineering  
University of Applied Sciences and Arts Northwestern Switzerland (FHNW)  
Klosterzelgstrasse 2  
CH-5210 Windisch, Switzerland

**Prof. Dr. Beat Ribl**

Institute of Thermal and Fluid Engineering  
University of Applied Sciences and Arts  
Northwestern Switzerland (FHNW)  
Klosterzelgstrasse 2  
CH-5210 Windisch, Switzerland

**Prof. Dr. Matthias Stark**

Institute of Thermal and Fluid Engineering  
University of Applied Sciences and Arts Northwestern Switzerland (FHNW)  
Klosterzelgstrasse 2  
CH-5210 Windisch, Switzerland

**Prof. Dr. sc. techn.**

**Konstantinos Boulouchos**

ETH Zürich  
Laboratorium für Aerothermochemie und  
Verbrennungssysteme

## EUROPE

### United Kingdom



**Prof. A. Tsolakis**

PhD, CEng, FIMechE, FHEA, Director of Research  
School of Engineering, University of Birmingham  
Birmingham B15 2TT, UK



**Professor Hongming Xu, FIMechE, FSAE**

Head of Vehicle and Engine Technology  
Research Centre,  
Department of Mechanical Engineering,  
University of Birmingham, B15 2TT, UK




**Prof. Yannis Hardalupas**

Mechanical Engineering Department  
Imperial College London  
Exhibition Road  
London SW7 2AZ, UK



**Prof. AMKP Taylor; FEng, MinstP**

Thermofluids Section  
Department of Mechanical Engineering  
Imperial College  
Exhibition Road  
London SW7 2BX, UK




**Prof. Hua Zhao**

Brunel University London  
Uxbridge UB8 3PH  
UK



**Prof. Alasdair Cairns**

Director of Powertrain Research Centre  
Coates C48  
University of Nottingham  
University Park  
Nottingham, NG7 2RD, UK



**Prof. Dr Martin H. Davy**

Associate Professor of Engineering Science  
and Fellow of Exeter College Oxford  
Department of Engineering Science  
University of Oxford, Parks Road OXFORD, OX1  
3PJ, UK



**Prof. Felix Leach**

Department of Engineering Science  
University of Oxford  
Parks Road, Oxford, OX1 3PJ, UK

China




**Prof. Shijin Shuai**

State Key Laboratory of Automotive Safety and Energy  
Haidan District  
100084, Beijing, China




**Prof. Feng Liyan**

Institute of Internal Combustion Engines  
Dalian University of Technology  
Dalian, China



**Prof. Dr. Long Liu**

College of Power and Engineering  
Harbin Engineering University  
No. 145, Nantong Street, Nangang District  
15001, Harbin China



**Prof. Zūnhuá Zhang**

School of Energy and Power Engineering  
Wuhan University of Technology  
Room 417, Dongli Building  
No. 1178, Heping Avenue, Wuchang District  
430063, Wuhan, Hubei, China




**Prof. David L. S. Hung**

University of Michigan-Shanghai Jiao Tongo  
University Joint Institute  
Shanghai Jiao Tongo University  
No. 800, Dongchuan Road, Minhang District  
200240 Shanghai, China




**Prof. Liguang Li**

Institute for Fuel Spray and Combustion  
School of Automotive Studies  
Tongji University  
4800 Caoan Road, 201804, Shanghai, China



**Prof. Dr. Xingcai Lu**


School of Mechanical and Power Engineering  
Shanghai Jiao Tong University  
No. 800, Dongchuan Road  
200240 Shanghai, China



**Prof. Dr. Lei Shi**


Institute of Internal Combustion Engine  
Shanghai Jiao Tong University  
Room 536, Jidong A Building  
No. 800, Dongchuan Road, Minhang District  
200240 Shanghai, China

## ASIA




**Prof. Tianyou Wang**

Tianjin University  
State Key Laboratory of Engines  
300072 Tianjin, China



**Dr. Mingfa Yao**

Chair Professor, State Key Laboratories of  
Engines (SKLE)  
Tianjin University  
Tianjin 300072, China



**Prof. Zuohua Huang**

Xi'an Jiatong University  
Institute of Internal Combustion Engines  
Xi'an, 710049, China


## India



**Dr Asish Kumar Sarangi**

Indian Institute of Technology Bombay  
Mumbai, India

## Japan



**Professor Tatsuya Kuboyama**


Chiba University  
1-33 Yayoi, Inage, Chiba, Japan



**Prof. Eriko Matsumura**


Doshisha University, Mechanical Engineering  
Department, Spray and Combustion Science  
Laboratory  
Kyotanabe, Kyoto 610-0321, Japan





**Prof. Jiro Senda**

Doshisha University  
Mechanical Engineering Department  
Spray and Combustion Science Lab  
Kyotanabe, Kyoto 610-0321, Japan



**Prof. Hideyuki Ogawa**

Faculty of Engineering  
Hokkaido University  
N13, W8, Kita-ku, Sapporo, Japan




**Prof. Tets Aizawa, Ph.D**

Department of Mechanical Engineering Infor-  
matics School of Science and Technology  
Meiji University  
1-1-1 Higashimita Tamaku Kawasaki  
Kanagawa 2148571 JAPAN



**Prof. Mitsuaki Tanabe**

Nihon University  
College of Science  
7-24-1 Narashinodai  
274-8501 Funabashi, Chiba, Japan



**Prof. J. Kobashi**

Hokkaido University  
Graduate School of Engineering  
Kita 13, Nishi 8, Kita-ku, Sapporo  
060-8628, Japan



**Prof. Naoto Horibe**

Kyoto University  
Graduate School of Energy Science  
Yoshida-Honmachi, Sakyo-ku, Kyoto 606-8501  
Japan



**Prof. Akira Iijima**

Nihon University  
College of Science and Technology,  
1-8-14, Kanda-surugadai, Chiyoda, Tokyo 101-  
8308, JAPAN




**Prof. Nobuyuki Kawahara**

Graduate School of Natural Science and  
Technology  
Okayama University  
3-1-1 Tsushima -Naka, Kita, Okayama  
700-8530 Japan



**Prof. Eiji Tomita**

Okayama University  
1-1-1 Tsushima-Naka, Kita, Okayama  
700-8530 Japan




**Prof. Kazunari Kuwahara**

Department of Mechanical Engineering  
Osaka Institute of Technology  
5-16-1 Omiya, Asahi-ku, Osaka 535-8585, Japan



**Prof. Hidenori Kosaka**

School of Engineering  
Tokyo Institute of Technology  
2-12-1 Ookayama, Meguro-ku, Tokyo 152-8550  
JAPAN




**Prof. Tsukasa Hori**

Osaka University  
Department of Mechanical Engineering  
2-1, Yamada-oka, Suita-shi, Osaka 565-0871,  
Japan



**Prof. Akihiko Azetsu**

Dept. of Mechanical Engineering, School of  
Engineering  
Tokai University  
4-1-1 Kitakaname, Hiratsuka,  
Kanagawa, 259-1292, Japan



**Prof. Yudai Yamasaki**

Department of Mechanical Engineering  
The University of Tokyo  
113-8656 7-3-1 Hongo, Bunkyo-Ku, Tokyo,  
Japan


## Malaysia



**Prof. Rizalman Mamat, PhD**

College of Engineering  
Universiti Malaysia Pahang  
26600 Pekan, Pahang, Malaysia

## Republic Korea



**Professor, Dr.Eng. Kihyung Lee**

Hanyang University  
Department of Mechanical Engineering  
55 Hanyangdaehak-ro, Sangrok-gu, Ansan 15588,  
Korea




**Professor, PhD, Seongsoo Kim**

Silla University  
Dean of MICT Convergence Engineering College  
Division of Mechanical Convergence Engineering  
100 Silladaehak-gil Sasang-gu, Busan 46958,  
Korea



**Professor, PhD, Suhan Park**

Chonnam National University  
School of Mechanical Engineering  
77 Yongbong-ro, Buk-gu, Gwangju 61186  
Korea




**Professor, PhD, Seang Wock Lee**

Kookmin University  
Dept. Automotive Engineering  
77 Jeongneung-ro, Seongbuk-gu, Seoul, 02707,  
Korea



**Professor, Dr. Eng, Gyungmin Choi**

Pusan National University  
School of Mechanical Engineering  
Dean of Institute for Research & Industry Cooperation  
2, Busandaehak-ro 63 beon-gil, Geumjeong-gu,  
Busan 46241, Korea




**Professor, PhD, Byungchul Choi**

Chonnam National University  
School of Mechanical Engineering  
77 Yongbong-ro, Bug-gu, Gwangju, 61186, Korea



**Assistant Professor, PhD, Seoksu Moon**


Inha University  
Dept. Mechanical Engineering  
100 Inha-ro, Michuhol, Incheon 22212, Korea



**Professor, PhD, Kyoungdoug Min**

Dept. Mechanical Engineering  
Seoul National University  
Kwanakro 1, Kwanak-gu, Seoul 08826  
Korea

## ASIA



**Professor, PhD, Sungwook Park**


Hanyang University  
School of Mechanical Engineering  
222 Wangsimni-ro, Seongdong-gu, Seoul 04763,  
Korea



**Professor, PhD, Han Ho Song**

Seoul National University  
Dept. Mechanical Engineering  
1 Gwanak-ro, Gwanak-gu, Seoul 08826, Korea

## Saudi Arabia



**Professor James Turner MEng, PhD, CEng,  
FIMechE, FSAE**

Clean Combustion Research Center (CCRC)  
King Abdullah University of Science and Techno-  
logy, Saudi Arabia

## Australia



**Prof. Benjamin Mullins**

Occupation, Environment and Safety (OES)  
Curtin University  
Bentley, Western Australia, 6102